

MATERIAL SAFETY DATA SHEET
ZOECON ALTOSID® XR-G

Manufacturer: Wellmark International
Address: 1100 East Woodfield Road, Suite 500 Schaumburg, IL 60173
Emergency Phone: 1-800-248-7763
Transportation Emergency Phone: CHEMTREC: 1-800-424-9300

1. CHEMICAL PRODUCT INFORMATION

Product Name: Zoecon Altosid® XR-G
Chemical Name/Synonym: (S)- Methoprene; isopropyl (2E,4E,7S)-11-methoxy-3,7,11 trimethyl-2,4-dodecadienoate
Chemical Family: Terpenoid
Formula: C₁₉ H₃₄ O₃
EPA Registration No.: 2724-451
RF Number: 9010

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
(S)-Methoprene: Isopropyl (2E,4E,7S)-11-trimethyl-2,4-dodecadienoate	65733-16-6	1.50 %	Not established
Inert ingredients (trade secret and/or non-hazardous):		98.50%	
Silica, Crystalline-Quartz	140808-60-7		10 mg/m ³ OSHA .1 mg/m ³ ACGIH

3. HAZARD INFORMATION

PRECAUTIONARY STATEMENT

Caution: Keep out of the reach of children. Avoid contact with skin or eyes. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

No adverse reactions have resulted from normal human exposure during research and testing

PRIMARY ROUTE OF ENTRY Dermal/Eye: Yes Oral: No Inhalation: No

ACUTE TOXICITY Oral: LD₅₀ (rat): >34,000mg/kg (HDT-highest dose level tested) **(S)-Methoprene)**
Dermal: LD₅₀ (rabbit)>2,000 mg/kg (HDT) **(S)- Methoprene)**
Inhalation: LC50 (rat) > 5.19 mg/L air **(S) Methoprene**

OTHER TOXICOLOGICAL INFORMATION

Skin Irritation: Non- irritating (rabbit) (Based on **(S) Methoprene**)

Eye Irritation: Practically non-irritating (rabbit) (Based on **(S) Methoprene**)

Sensitizer: Not considered a sensitizer (guinea pig) (Based on **(S) Methoprene**)

4. FIRST AID MEASURES

Eye: Hold eyelids open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Ingestion: Give 1-2 glasses of water and try to induce vomiting. Refer victim to medical personnel. Never give anything by mouth to an unconscious person.

Inhalation: Not likely due to product form. Remove to fresh air.

Note to Physician: Treat symptomatically

5. FIRE FIGHTING MEASURES

NFPA Rating: **Health: 0** **Fire: 0** **Reactivity: 0**

Flammability Class: N/A

Flash Point: Does not flash

Explosive Limits (% of Volume): Not applicable

Extinguishing Media: Water, foam, CO₂

Special Protective Equipment: Firefighters should wear full protective clothing including self contained breathing apparatus

Fire Fighting Procedures: Normal procedures. Do not allow fire fighting water to escape into waterways or sewers

Combustion Products: None known

Unusual Fire/Explosion Hazards: None known

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken: Sweep up material. Place in a container for disposal. Do not allow spill to enter waterways inhabited by aquatic organisms

Absorbents: Due to product form none necessary. If in liquid form absorb with clay granules, sawdust, dirt or equivalent

Incompatibles: None known

7. HANDLING AND STORAGE

Handling: Avoid contact with skin or eyes.

Storage: Store closed containers in a cool dry place. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROL / PERSONAL MEASURES

Exposure Limits: Silica, Amorphous, Precipitated = 6 mg/m³ (OSHA PEL) and 10 mg/m³ (ACGIH TLV)

Ventilation: Use with adequate ventilation.

Personal Protective Equipment: Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during loading and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Dark gray to black granules with a slight hydrocarbon odor

Boiling Point: Not Applicable

Melting Point: Not Applicable

Vapor Pressure (mm Hg): Not Applicable

Vapor Density (Air = 1): Not Applicable

Specific Gravity: 1.04 where H₂O=1

Bulk Density: Not Applicable

Solubility: 1ppm

Evaporation Rate: Not Applicable

pH: Not Applicable

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: Non-Reactive

Incompatibility w/ Other Materials: None Known

Decomposition Products: None Known

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

CHRONIC TOXICITY [Based on (RS)- Methoprene]

Methoprene is not considered as an oncogenic compound. The NOEL for non-carcinogenic effects in an 18 month mouse study was 250 ppm.

DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Based on (RS)- Methoprene]

Methoprene is not a teratogenic compound. **The NOEL for maternal and embryo toxicity in rabbits was 200 mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.**

MUTAGENICITY [Specific to Ingredient(s)]

Methoprene is not a mutagenic compound. **(Based on (RS)- Methoprene)**

CARCINOGEN [Silica Crystalline Quartz (Sand)] The process by which silica dust in the sand is agglomerated and coagulated by the cross-linked protein to form an essentially dust-free granule. The granule is glazed with a protein/charcoal coating that effectively seals the sand, and any concomitant silica, within the granule. Any dust that results from abrasion during handling, will consist of protein and charcoal. Exposure to silica dust from the finished product will not be expected to occur. Finished product not considered carcinogenic.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE (Based on Active Ingredients Only)

- Hydrolysis:** Not hydrolyzed up to 30 days
- Photolysis:** Rapidly degraded in sunlight
- Soil half life:** 10-14 days, rapidly hydrolyzed in soil
- Water solubility:** Disperses in water

ECOTOXICITY [Based on Active Ingredients Only]

- Acute Toxicity:** Fish: Trout LC50 760 ppb Bluegill >370 ppb
Aquatic Invertebrates: Daphnia LC50 360 ppb

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by disposal. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Completely empty into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

14. TRANSPORT INFORMATION

- DOT49CFR Description:** Not regulated as hazardous by D.O.T
- Freight Classification:** Insecticides, NOI other than poison

15. REGULATORY INFORMATION

- CERCLA (Superfund):** Not regulated
- RCRA:** Not regulated

SARA 311/312 HAZARD CATEGORIES

- Immediate Health:** Yes (irritant)
- Delayed Health:** No
- Fire:** No
- Sudden Pressure:** No
- Reactivity:** No

The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.